

# Hospital Equity Measures Report

## General Information

Report Type:	Hospital Equity Measures Report
Year:	2024
Hospital Name:	ADVENTIST HEALTH MENDOCINO COAST
Facility Type:	General Acute Care Hospital
Hospital HCAI ID:	106231013
Report Period:	01/01/2024 - 12/31/2024
Status:	Submitted
Due Date:	11/29/2025
Last Updated:	11/25/2025
Hospital Location with Clean Water and Air:	Y
Hospital Web Address for Equity Report:	<a href="https://www.adventisthealth.org/about-us/health-equity">https://www.adventisthealth.org/about-us/health-equity</a>

## Overview

Assembly Bill No. 1204 requires the Department of Health Care Access and Information (HCAI) to develop and administer a Hospital Equity Measures Reporting Program to collect and post summaries of key hospital performance and patient outcome data regarding sociodemographic information, including but not limited to age, sex, race/ethnicity, payor type, language, disability status, and sexual orientation and gender identity.

Hospitals (general acute, children's, and acute psychiatric) and hospital systems are required to annually submit their reports to HCAI. These reports contain summaries of each measure, the top 10 disparities, and the equity plans to address the identified disparities. HCAI is required to maintain a link on the HCAI website that provides access to the content of hospital equity measures reports and equity plans to the public. All submitted hospitals are required to post their reports on their websites, as well.

## Laws and Regulations

For more information on Assembly Bill No. 1204, please visit the following link by copying and pasting the URL into your web browser:

[https://leginfo.legislature.ca.gov/faces/billTextClient.xhtml?bill\\_id=202120220AB1204](https://leginfo.legislature.ca.gov/faces/billTextClient.xhtml?bill_id=202120220AB1204)

## Hospital Equity Measures

### Joint Commission Accreditation

General acute care hospitals are required to report three structural measures based on the Commission Accreditation's Health Care Disparities Reduction and Patient-Centered Communication Accreditation Standards. For more information on these measures, please visit the following link by copying and pasting the URL into your web browser:

<https://www.jointcommission.org/standards/r3-report/r3-report-issue-36-new-requirements-to-reduce-health-care-disparities/>

The first two structural measures are scored as "yes" or "no"; the third structural measure comprises the percentages of patients by five categories of preferred languages spoken, in addition to one other/unknown language category.

Designate an individual to lead hospital health equity activities (Y = Yes, N = No).

Y

Provide documentation of policy prohibiting discrimination (Y = Yes, N = No).

Y

Number of patients that were asked their preferred language, five defined categories and one other/unknown languages category.

12685

Table 1. Summary of preferred languages reported by patients.

Languages	Number of patients who report preferring language	Total number of patients	Percentage of total patients who report preferring language (%)
English Language	11961	12685	94.3
Spanish Language	694	12685	5.5
Asian Pacific Islander Languages	suppressed	12685	suppressed
Middle Eastern Languages	suppressed	12685	suppressed
American Sign Language		12685	
Other Languages	suppressed	12685	suppressed

**Centers for Medicare & Medicaid Services (CMS) Hospital Commitment to Health Equity Structural (HCHE) Measure**

There are five domains that make up the CMS Hospital Commitment to HCHE measures. Each domain is scored as "yes" or "no." In order to score "yes," a general acute care hospital is required to confirm all the domain's attestations. Lack of one or more of the attestations results in a score of "no." For more information on the CMS Hospital Commitment to HCHE measures, please visit the following link by copying and pasting the URL into your web browser:  
<https://data.cms.gov/provider-data/topics/hospitals/health-equity>

**Centers for Medicare & Medicaid Services (CMS) Hospital Commitment to Health Equity Structural (HCHE) Measure Domain 1: Strategic Planning (Yes/No)**

- Our hospital strategic plan identifies priority populations who currently experience health disparities.
- Our hospital strategic plan identifies healthcare equity goals and discrete action steps to achieve these goals.
- Our hospital strategic plan outlines specific resources that have been dedicated to achieving our equity goals.
- Our hospital strategic plan describes our approach for engaging key stakeholders, such as community-based organizations.

Y

**CMS HCHE Measure Domain 2: Data Collection (Yes/No)**

- Our hospital strategic plan identifies healthcare equity goals and discrete action steps to achieve these goals.
- Our hospital has training for staff in culturally sensitive collection of demographics and/or social determinant of health information.

- Our hospital inputs demographic and/or social determinant of health information collected from patients into structured, interoperable data elements using a certified electronic health record (EHR) technology.

Y

#### CMS HCHE Measure Domain 3: Data Analysis (Yes/No)

- Our hospital stratifies key performance indicators by demographic and/or social determinants of health variables to identify equity gaps and includes this information in hospital performance dashboards.

Y

#### CMS HCHE Measure Domain 4: Quality Improvement (Yes/No)

- Our hospital participates in local, regional or national quality improvement activities focused on reducing health disparities.

Y

#### CMS HCHE Measure Domain 5: Leadership Engagement (Yes/No)

- Our hospital senior leadership, including chief executives and the entire hospital board of trustees, annually reviews our strategic plan for achieving health equity.
- Our hospital senior leadership, including chief executives and the entire hospital board of trustees, annually review key performance indicators stratified by demographic and/or social factors.

Y

### **Centers for Medicare & Medicaid Services (CMS) Social Drivers of Health (SDOH)**

General acute care hospitals are required to report on rates of screenings and intervention rates among patients above 18 years old for five health related social needs (HRSN), which are food insecurity, housing instability, transportation problems, utility difficulties, and interpersonal safety. These rates are reported separately as being screened as positive for any of the five HRSNs, positive for each individual HRSN, and the intervention rate for each positively screened HRSN. For more information on the CMS SDOH, please visit the following link by copying and pasting the URL into your web browser:

<https://www.cms.gov/priorities/innovation/key-concepts/social-drivers-health-and-health-related-social-needs>

Number of patients admitted to an inpatient hospital stay who are 18 years or older on the date of admission and are screened for all of the five HRSN

487

Total number of patients who are admitted to a hospital inpatient stay and who are 18 years or older on the date of admission

570

Rate of patients admitted for an inpatient hospital stay who are 18 years or older on the date of admission, were screened for an HRSN, and who screened positive for one or more of the HRSNs

32.0

Table 2. Positive screening rates and intervention rates for the five Health Related Social Needs of the Centers of Medicare & Medicaid Services (CMS) Social Drivers of Health (SDOH).

<b>Social Driver of Health</b>	<b>Number of positive screenings</b>	<b>Rate of positive screenings (%)</b>	<b>Number of positive screenings who received intervention</b>	<b>Rate of positive screenings who received intervention (%)</b>
<b>Food Insecurity</b>	47	9.7	0	
<b>Housing Instability</b>	57	11.7	0	
<b>Transportation Problems</b>	35	7.2	0	
<b>Utility Difficulties</b>	17	3.5	0	
<b>Interpersonal Safety</b>	7	1.4	0	

## Core Quality Measures for General Acute Care Hospitals

There are two quality measures from the Hospital Consumer Assessment of Healthcare Providers and Systems (HCAHPS) survey. For more information on the HCAHPS survey, please visit the following link by copying and pasting the URL into your web browser:

<https://hcahpsonline.org/en/survey-instruments/>

## Patient Recommends Hospital

The first HCAHPS quality measure is the percentage of patients who would recommend the hospital to friends and family. For this measure, general acute care hospitals provide the percentage of patient respondents who responded "probably yes" or "definitely yes" to whether they would recommend the hospital, the percentage of the people who responded to the survey (i.e., the response rate), and the inputs for the percentages. The percentages and inputs are stratified by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. The corresponding HCAHPS question number is 19.

Number of respondents who replied "probably yes" or "definitely yes" to HCAHPS Question 19, "Would you recommend this hospital to your friends and family?"

122

Total number of respondents to HCAHPS Question 19

130

Percentage of total respondents who responded "probably yes" or "definitely yes" to HCAHPS Question 19

93.8

Total number of people surveyed on HCAHPS Question 19

500

Response rate, or the percentage of people who responded to HCAHPS Question 19

26.0

Table 3. Patient recommends hospital by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of "probably yes" or "definitely yes" responses	Total number of responses	Percent of "probably yes" or "definitely yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
American Indian or Alaska Native					
Asian					
Black or African American					
Hispanic or Latino					
Middle Eastern or North African					
Multiracial and/or Multiethnic (two or more races)					
Native Hawaiian or Pacific Islander					
White					

  

Age	Number of "probably yes" or "definitely yes" responses	Total number of responses	Percent of "probably yes" or "definitely yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Age < 18					
Age 18 to 34					
Age 35 to 49					
Age 50 to 64					
Age 65 Years and Older					

  

Sex assigned at birth	Number of "probably yes" or "definitely yes" responses	Total number of responses	Percent of "probably yes" or "definitely yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Female					
Male					
Unknown					

  

Payer Type	Number of "probably yes" or "definitely yes" responses	Total number of responses	Percent of "probably yes" or "definitely yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Medicare					
Medicaid					
Private					
Self-Pay					
Other					

  

Preferred Language	Number of "probably yes" or "definitely yes" responses	Total number of responses	Percent of "probably yes" or "definitely yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
English Language					
Spanish Language					
Asian Pacific Islander Languages					
Middle Eastern Languages					
American Sign Language					
Other/Unknown Languages					

<b>Disability Status</b>	<b>Number of "probably yes" or "definitely yes" responses</b>	<b>Total number of responses</b>	<b>Percent of "probably yes" or "definitely yes" responses (%)</b>	<b>Total number of patients surveyed</b>	<b>Response rate of patients surveyed (%)</b>
Does not have a disability					
Has a mobility disability					
Has a cognition disability					
Has a hearing disability					
Has a vision disability					
Has a self-care disability					
Has an independent living disability					

  

<b>Sexual Orientation</b>	<b>Number of "probably yes" or "definitely yes" responses</b>	<b>Total number of responses</b>	<b>Percent of "probably yes" or "definitely yes" responses (%)</b>	<b>Total number of patients surveyed</b>	<b>Response rate of patients surveyed (%)</b>
Lesbian, gay or homosexual					
Straight or heterosexual					
Bisexual					
Something else					
Don't know					
Not disclosed					

  

<b>Gender Identity</b>	<b>Number of "probably yes" or "definitely yes" responses</b>	<b>Total number of responses</b>	<b>Percent of "probably yes" or "definitely yes" responses (%)</b>	<b>Total number of patients surveyed</b>	<b>Response rate of patients surveyed (%)</b>
Female					
Female-to-male (FTM)/ transgender male/trans man					
Male					
Male-to-female (MTF)/ transgender female/trans					
Non-conforming gender					
Additional gender category or other					
Not disclosed					

## Patient Received Information in Writing

The second HCAHPS quality measure is the percentage of patients who reported receiving information in writing on symptoms and health problems to look out for after leaving the hospital. General acute care hospitals are required to provide the percentage of patient respondents who responded "yes" to being provided written information, the percentage of the people who responded to the survey (i.e., the response rate), and the inputs for these percentages. These percentages and inputs are stratified by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. The corresponding HCAHPS question number is 17.

Number of respondents who replied "yes" to HCAHPS Question 17, "During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the

hospital?"

112

Total number of respondents to HCAHPS Question 17

130

Percentage of respondents who responded "yes" to HCAHPS Question 17

86.2

Total number of people surveyed on HCAHPS Question 17

500

Response rate, or the percentage of people who responded to HCAHPS Question 17

26.0

Table 4. Patient reports receiving information in writing about symptoms or health problems by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

<b>Race and/or Ethnicity</b>	<b>Number of "yes" responses</b>	<b>Total number of responses</b>	<b>Percentage of "yes" responses (%)</b>	<b>Total number of patients surveyed</b>	<b>Response rate of patients surveyed (%)</b>
<b>American Indian or Alaska Native</b>					
<b>Asian</b>					
<b>Black or African American</b>					
<b>Hispanic or Latino</b>					
<b>Middle Eastern or North African</b>					
<b>Multiracial and/or Multiethnic (two or more races)</b>					
<b>Native Hawaiian or Pacific Islander</b>					
<b>White</b>					

<b>Age</b>	<b>Number of "yes" responses</b>	<b>Total number of responses</b>	<b>Percentage of "yes" responses (%)</b>	<b>Total number of patients surveyed</b>	<b>Response rate of patients surveyed (%)</b>
<b>Age &lt; 18</b>					
<b>Age 18 to 34</b>					
<b>Age 35 to 49</b>					
<b>Age 50 to 64</b>					
<b>Age 65 Years and Older</b>					

<b>Sex assigned at birth</b>	<b>Number of "yes" responses</b>	<b>Total number of responses</b>	<b>Percentage of "yes" responses (%)</b>	<b>Total number of patients surveyed</b>	<b>Response rate of patients surveyed (%)</b>
<b>Female</b>					
<b>Male</b>					
<b>Unknown</b>					

<b>Payer Type</b>	<b>Number of "yes" responses</b>	<b>Total number of responses</b>	<b>Percentage of "yes" responses (%)</b>	<b>Total number of patients surveyed</b>	<b>Response rate of patients surveyed (%)</b>
<b>Medicare</b>					
<b>Medicaid</b>					
<b>Private</b>					
<b>Self-Pay</b>					
<b>Other</b>					

<b>Preferred Language</b>	<b>Number of "yes" responses</b>	<b>Total number of responses</b>	<b>Percentage of "yes" responses (%)</b>	<b>Total number of patients surveyed</b>	<b>Response rate of patients surveyed (%)</b>
<b>English Language</b>					
<b>Spanish Language</b>					
<b>Asian Pacific Islander Languages</b>					
<b>Middle Eastern Languages</b>					
<b>American Sign</b>					
<b>Other/Unknown Languages</b>					

<b>Disability Status</b>	<b>Number of "yes" responses</b>	<b>Total number of responses</b>	<b>Percentage of "yes" responses (%)</b>	<b>Total number of patients surveyed</b>	<b>Response rate of patients surveyed (%)</b>
<b>Does not have a disability</b>					
<b>Has a mobility disability</b>					
<b>Has a cognition</b>					
<b>Has a hearing disability</b>					
<b>Has a vision disability</b>					
<b>Has a self-care</b>					
<b>Has an independent living disability</b>					

<b>Sexual Orientation</b>	<b>Number of "yes" responses</b>	<b>Total number of responses</b>	<b>Percentage of "yes" responses (%)</b>	<b>Total number of patients surveyed</b>	<b>Response rate of patients surveyed (%)</b>
<b>Lesbian, gay or homosexual</b>					
<b>Straight or heterosexual</b>					
<b>Bisexual</b>					
<b>Something else</b>					
<b>Don't know</b>					
<b>Not disclosed</b>					



Gender Identity	Number of "yes" responses	Total number of responses	Percentage of "yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Female					
Female-to-male (FTM)/ transgender male/trans man					
Male					
Male-to-female (MTF)/ transgender female/trans woman					
Non-conforming gender					
Additional gender category or other					
Not disclosed					

## Agency for Healthcare Research and Quality (AHRQ) Indicators

General acute care hospitals are required to report on two indicators from the Agency for Healthcare Research and Quality (AHRQ). For general information about AHRQ indicators, please visit the following link by copying and pasting the URL into your web browser:  
<https://qualityindicators.ahrq.gov/>

## Pneumonia Mortality Rate

The Pneumonia Mortality Rate is defined as the rate of in-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission for patients ages 18 years and older. General acute care hospitals report the Pneumonia Mortality Rate by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. The corresponding AHRQ Inpatient Quality Indicator is 20. For more information about this indicator, please visit the following link by copying and pasting the URL into your web browser:  
[https://qualityindicators.ahrq.gov/Downloads/Modules/IQI/V2023/TechSpecs/IQI\\_20\\_Pneumonia\\_Mortality\\_Rate.pdf](https://qualityindicators.ahrq.gov/Downloads/Modules/IQI/V2023/TechSpecs/IQI_20_Pneumonia_Mortality_Rate.pdf)

Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission

suppressed

Total number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission

suppressed

Rate of in-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission

suppressed

Table 5. Pneumonia Mortality Rate by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

<b>Race and/or Ethnicity</b>	<b>Number of in-hospital deaths that meet the inclusion/exclusion criteria</b>	<b>Number of hospital discharges that meet the inclusion/exclusion criteria</b>	<b>Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)</b>
<b>American Indian or Alaska Native</b>			
<b>Asian</b>			
<b>Black or African American</b>	suppressed	suppressed	suppressed
<b>Hispanic or Latino</b>	suppressed	suppressed	suppressed
<b>Middle Eastern or North African</b>			
<b>Multiracial and/or Multiethnic (two or more)</b>			
<b>Native Hawaiian or Pacific Islander</b>			
<b>White</b>	suppressed	suppressed	suppressed

  

<b>Age</b>	<b>Number of in-hospital deaths that meet the inclusion/exclusion criteria</b>	<b>Number of hospital discharges that meet the inclusion/exclusion criteria</b>	<b>Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)</b>
<b>Age &lt; 18</b>			
<b>Age 18 to 34</b>			
<b>Age 35 to 49</b>	suppressed	suppressed	suppressed
<b>Age 50 to 64</b>	0	12	0.0
<b>Age 65 Years and Older</b>	suppressed	suppressed	suppressed

  

<b>Sex assigned at birth</b>	<b>Number of in-hospital deaths that meet the inclusion/exclusion criteria</b>	<b>Number of hospital discharges that meet the inclusion/exclusion criteria</b>	<b>Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)</b>
<b>Female</b>	suppressed	suppressed	suppressed
<b>Male</b>	suppressed	suppressed	suppressed
<b>Unknown</b>			

  

<b>Payer Type</b>	<b>Number of in-hospital deaths that meet the inclusion/exclusion criteria</b>	<b>Number of hospital discharges that meet the inclusion/exclusion criteria</b>	<b>Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)</b>
<b>Medicare</b>	suppressed	suppressed	suppressed
<b>Medicaid</b>	suppressed	suppressed	suppressed
<b>Private</b>	suppressed	suppressed	suppressed
<b>Self-Pay</b>	suppressed	suppressed	suppressed
<b>Other</b>	suppressed	suppressed	suppressed

<b>Preferred Language</b>	<b>Number of in-hospital deaths that meet the inclusion/exclusion criteria</b>	<b>Number of hospital discharges that meet the inclusion/exclusion criteria</b>	<b>Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)</b>
English Language	suppressed	suppressed	suppressed
Spanish Language	suppressed	suppressed	suppressed
Asian Pacific Islander Languages			
Middle Eastern Languages			
American Sign Language			
Other/Unknown Languages			

<b>Disability Status</b>	<b>Number of in-hospital deaths that meet the inclusion/exclusion criteria</b>	<b>Number of hospital discharges that meet the inclusion/exclusion criteria</b>	<b>Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)</b>
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living disability			

<b>Sexual Orientation</b>	<b>Number of in-hospital deaths that meet the inclusion/exclusion criteria</b>	<b>Number of hospital discharges that meet the inclusion/exclusion criteria</b>	<b>Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)</b>
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

<b>Gender Identity</b>	<b>Number of in-hospital deaths that meet the inclusion/exclusion criteria</b>	<b>Number of hospital discharges that meet the inclusion/exclusion criteria</b>	<b>Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)</b>
Female			
Female-to-male (FTM)/ transgender male/trans man			
Male			
Male-to-female (MTF)/ transgender female/trans woman			
Non-conforming gender			
Additional gender category or other			
Not disclosed			

# Death Rate among Surgical Inpatients with Serious Treatable Complications

The Death Rate among Surgical Inpatients with Serious Treatable Complications is defined as the rate of in-hospital deaths per 1,000 surgical discharges among patients ages 18-89 years old or obstetric patients with serious treatable complications. General acute care hospitals report this measure by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. The corresponding AHRQ Patient Safety Indicator is 04. For more information about this indicator, please visit the following link by copying and pasting the URL into your web browser:

[https://qualityindicators.ahrq.gov/Downloads/Modules/PSI/V2023/TechSpecs/PSI\\_04\\_Death\\_Rate\\_among\\_Surgical\\_Inpatients\\_with\\_Serious\\_Treatable\\_Complications.pdf](https://qualityindicators.ahrq.gov/Downloads/Modules/PSI/V2023/TechSpecs/PSI_04_Death_Rate_among_Surgical_Inpatients_with_Serious_Treatable_Complications.pdf)

Number of in-hospital deaths among patients aged 18-89 years old or obstetric patients with serious treatable complications

NA

Total number of surgical discharges among patients aged 18-89 years old or obstetric patients

NA

Rate of in-hospital deaths per 1,000 surgical discharges, among patients aged 18-89 years old or obstetric patients with serious treatable complications

NA

Table 6. Death Rate among Surgical Inpatients with Serious Treatable Complications by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of surgical discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
American Indian or Alaska Native			
Asian			
Black or African American			
Hispanic or Latino			
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more)			
Native Hawaiian or Pacific Islander			
White			

Age	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of surgical discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
Age < 18			
Age 18 to 34			
Age 35 to 49			
Age 50 to 64			
Age 65 Years and Older			

<b>Sex assigned at birth</b>	<b>Number of in-hospital deaths that meet the inclusion/exclusion criteria</b>	<b>Number of surgical discharges that meet the inclusion/exclusion criteria</b>	<b>Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)</b>
<b>Female</b>			
<b>Male</b>			
<b>Unknown</b>			
<b>Payer Type</b>	<b>Number of in-hospital deaths that meet the inclusion/exclusion criteria</b>	<b>Number of surgical discharges that meet the inclusion/exclusion criteria</b>	<b>Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)</b>
<b>Medicare</b>			
<b>Medicaid</b>			
<b>Private</b>			
<b>Self-Pay</b>			
<b>Other</b>			
<b>Preferred Language</b>	<b>Number of in-hospital deaths that meet the inclusion/exclusion criteria</b>	<b>Number of surgical discharges that meet the inclusion/exclusion criteria</b>	<b>Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)</b>
<b>English Language</b>			
<b>Spanish Language</b>			
<b>Asian Pacific Islander Languages</b>			
<b>Middle Eastern Languages</b>			
<b>American Sign Language</b>			
<b>Other/Unknown Languages</b>			
<b>Disability Status</b>	<b>Number of in-hospital deaths that meet the inclusion/exclusion criteria</b>	<b>Number of surgical discharges that meet the inclusion/exclusion criteria</b>	<b>Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)</b>
<b>Does not have a disability</b>			
<b>Has a mobility disability</b>			
<b>Has a cognition disability</b>			
<b>Has a hearing disability</b>			
<b>Has a vision disability</b>			
<b>Has a self-care disability</b>			
<b>Has an independent living disability</b>			
<b>Sexual Orientation</b>	<b>Number of in-hospital deaths that meet the inclusion/exclusion criteria</b>	<b>Number of surgical discharges that meet the inclusion/exclusion criteria</b>	<b>Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)</b>
<b>Lesbian, gay or homosexual</b>			
<b>Straight or heterosexual</b>			
<b>Bisexual</b>			
<b>Something else</b>			
<b>Don't know</b>			
<b>Not disclosed</b>			

Gender Identity	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of surgical discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
Female			
Female-to-male (FTM)/ transgender male/trans man			
Male			
Male-to-female (MTF)/ transgender female/trans woman			
Non-conforming gender			
Additional gender category or other			
Not disclosed			

## California Maternal Quality Care Collaborative (CMQCC) Core Quality Measures

There are three core quality maternal measures adopted from the California Maternal Quality Care Collaborative (CMQCC).

### CMQCC Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth Rate

The CMQCC Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth Rate is defined as nulliparous women with a term (at least 37 weeks gestation), singleton baby in a vertex position delivered by cesarian birth. General acute care hospitals report the NTSV Cesarean Birth Rate by race and/or ethnicity, maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. For more information, please visit the following link by copying and pasting the URL into your web browser:

<https://www.cmqcc.org/quality-improvement-toolkits/supporting-vaginal-birth/ntsv-cesarean-birth-measure-specifications>

Number of NTSV patients with Cesarean deliveries

NA

Total number of nulliparous NTSV patients

NA

Rate of NTSV patients with Cesarean deliveries

NA

Table 7. Nulliparous, Term, Singleton, Vertex (NTSV) Cesarean Birth Rate by race and/or ethnicity, maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

<b>Race and/or Ethnicity</b>	<b>Number of NTSV patients with cesarean deliveries</b>	<b>Total number of NTSV patients</b>	<b>Rate of NTSV patients with Cesarean deliveries (%)</b>
American Indian or Alaska Native			
Asian			
Black or African American			
Hispanic or Latino			
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)			
Native Hawaiian or Pacific Islander			
White			

  

<b>Age</b>	<b>Number of NTSV patients with cesarean deliveries</b>	<b>Total number of NTSV patients</b>	<b>Rate of NTSV patients with Cesarean deliveries (%)</b>
Age < 18			
Age 18 to 29			
Age 30 to 39			
Age 40 Years and Older			

  

<b>Sex assigned at birth</b>	<b>Number of NTSV patients with cesarean deliveries</b>	<b>Total number of NTSV patients</b>	<b>Rate of NTSV patients with Cesarean deliveries (%)</b>
Female			
Male			
Unknown			

  

<b>Payer Type</b>	<b>Number of NTSV patients with cesarean deliveries</b>	<b>Total number of NTSV patients</b>	<b>Rate of NTSV patients with Cesarean deliveries (%)</b>
Medicare			
Medicaid			
Private			
Self-Pay			
Other			

  

<b>Preferred Language</b>	<b>Number of NTSV patients with cesarean deliveries</b>	<b>Total number of NTSV patients</b>	<b>Rate of NTSV patients with Cesarean deliveries (%)</b>
English Language			
Spanish Language			
Asian Pacific Islander Languages			
Middle Eastern Languages			
American Sign Language			
Other/Unknown Languages			

<b>Disability Status</b>	<b>Number of NTSV patients with cesarean deliveries</b>	<b>Total number of NTSV patients</b>	<b>Rate of NTSV patients with Cesarean deliveries (%)</b>
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living disability			

  

<b>Sexual Orientation</b>	<b>Number of NTSV patients with cesarean deliveries</b>	<b>Total number of NTSV patients</b>	<b>Rate of NTSV patients with Cesarean deliveries (%)</b>
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

  

<b>Gender Identity</b>	<b>Number of NTSV patients with cesarean deliveries</b>	<b>Total number of NTSV patients</b>	<b>Rate of NTSV patients with Cesarean deliveries (%)</b>
Female			
Female-to-male (FTM)/transgender male/trans man			
Male			
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or other			
Not disclosed			

## CMQCC Vaginal Birth After Cesarean (VBAC) Rate

The CMQCC Vaginal Birth After Cesarean (VBAC) Rate is defined as vaginal births per 1,000 deliveries by patients with previous Cesarean deliveries. General acute care hospitals report the VBAC Rate by race and/or ethnicity, maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. The VBAC Rate uses the specifications of AHRQ Inpatient Quality Indicator 22. For more information, please visit the following link by copying and pasting the URL into your web browser:

[https://qualityindicators.ahrq.gov/Downloads/Modules/IQI/V2023/TechSpecs/IQI\\_22\\_Vaginal\\_Birth\\_After\\_Cesarean\\_\(VBAC\)\\_Delivery\\_Rate\\_Uncomplicated.pdf](https://qualityindicators.ahrq.gov/Downloads/Modules/IQI/V2023/TechSpecs/IQI_22_Vaginal_Birth_After_Cesarean_(VBAC)_Delivery_Rate_Uncomplicated.pdf)

Number of vaginal delivery among cases with previous Cesarean delivery that meet the inclusion and exclusion criteria

NA

Total number of birth discharges with previous Cesarean delivery that meet the inclusion and exclusion criteria



NA

Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries

NA

Table 8. Vaginal Birth After Cesarean (VBAC) Rate by race and/or ethnicity, maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

<b>Race and/or Ethnicity</b>	<b>Number of vaginal deliveries with previous Cesarean delivery</b>	<b>Total number of birth discharges with previous Cesarean delivery</b>	<b>Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)</b>
<b>American Indian or Alaska Native</b>			
<b>Asian</b>			
<b>Black or African American</b>			
<b>Hispanic or Latino</b>			
<b>Middle Eastern or North African</b>			
<b>Multiracial and/or Multiethnic (two or more races)</b>			
<b>Native Hawaiian or Pacific</b>			
<b>White</b>			

<b>Age</b>	<b>Number of vaginal deliveries with previous Cesarean delivery</b>	<b>Total number of birth discharges with previous Cesarean delivery</b>	<b>Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)</b>
<b>Age &lt; 18</b>			
<b>Age 18 to 29</b>			
<b>Age 30 to 39</b>			
<b>Age 40 Years and Older</b>			

<b>Sex assigned at birth</b>	<b>Number of vaginal deliveries with previous Cesarean delivery</b>	<b>Total number of birth discharges with previous Cesarean delivery</b>	<b>Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)</b>
<b>Female</b>			
<b>Male</b>			
<b>Unknown</b>			

<b>Payer Type</b>	<b>Number of vaginal deliveries with previous Cesarean delivery</b>	<b>Total number of birth discharges with previous Cesarean delivery</b>	<b>Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)</b>
<b>Medicare</b>			
<b>Medicaid</b>			
<b>Private</b>			
<b>Self-Pay</b>			
<b>Other</b>			

<b>Preferred Language</b>	<b>Number of vaginal deliveries with previous Cesarean delivery</b>	<b>Total number of birth discharges with previous Cesarean delivery</b>	<b>Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)</b>
English Language			
Spanish Language			
Asian Pacific Islander Languages			
Middle Eastern Languages			
American Sign Language			
Other/Unknown Languages			

  

<b>Disability Status</b>	<b>Number of vaginal deliveries with previous Cesarean delivery</b>	<b>Total number of birth discharges with previous Cesarean delivery</b>	<b>Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)</b>
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living			

  

<b>Sexual Orientation</b>	<b>Number of vaginal deliveries with previous Cesarean delivery</b>	<b>Total number of birth discharges with previous Cesarean delivery</b>	<b>Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)</b>
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

  

<b>Gender Identity</b>	<b>Number of vaginal deliveries with previous Cesarean delivery</b>	<b>Total number of birth discharges with previous Cesarean delivery</b>	<b>Rate of vaginal delivery per 1,000 deliveries by patients with previous Cesarean deliveries (%)</b>
Female			
Female-to-male (FTM)/transgender male/trans man			
Male			
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or			
Not disclosed			

## CMQCC Exclusive Breast Milk Feeding Rate

The CMQCC Exclusive Breast Milk Feeding Rate is defined as the newborns per 100 who reached at least 37 weeks of gestation (or 3000g if gestational age is missing) who received breast milk

exclusively during their stay at the hospital. Other criteria are that the newborns did not go to the neonatal intensive care unit (NICU), transfer, or die, did not reflect multiple gestation, and did not have codes for parenteral nutrition or galactosemia. General acute care hospitals report the Exclusive Breast Milk Feeding Rate by race and/or ethnicity, maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. The CMQCC Exclusive Breast Milk Feeding Rate uses the Joint Commission National Quality Measure PC-05. For more information, please visit the following link by copying and pasting the URL into your web browser: <https://manual.jointcommission.org/releases/TJC2024B/MIF0170.html>

Number of newborn cases that were exclusively fed breast milk during their hospital stay and meet the inclusion and exclusion criteria

NA

Total number of newborn cases born in the hospital that meet the inclusion and exclusion criteria

NA

Rate of newborn cases per 100 that were exclusively fed breast milk during their hospital stay and meet the inclusion and exclusion criteria

NA

Table 9. Exclusive Breast Milk Feeding Rate by race and/or ethnicity, maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria	Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria	Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)
American Indian or Alaska Native			
Asian			
Black or African American			
Hispanic or Latino			
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)			
Native Hawaiian or Pacific			
White			

Age	Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria	Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria	Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)
Age < 18			
Age 18 to 29			
Age 30 to 39			
Age 40 Years and Older			

<b>Sex assigned at birth</b>	<b>Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria</b>	<b>Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria</b>	<b>Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)</b>
<b>Female</b>			
<b>Male</b>			
<b>Unknown</b>			

  

<b>Payer Type</b>	<b>Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria</b>	<b>Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria</b>	<b>Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)</b>
<b>Medicare</b>			
<b>Medicaid</b>			
<b>Private</b>			
<b>Self-Pay</b>			
<b>Other</b>			

  

<b>Preferred Language</b>	<b>Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria</b>	<b>Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria</b>	<b>Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)</b>
<b>English Language</b>			
<b>Spanish Language</b>			
<b>Asian Pacific Islander Languages</b>			
<b>Middle Eastern Languages</b>			
<b>American Sign Language</b>			
<b>Other/Unknown Languages</b>			

  

<b>Disability Status</b>	<b>Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria</b>	<b>Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria</b>	<b>Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)</b>
<b>Does not have a disability</b>			
<b>Has a mobility disability</b>			
<b>Has a cognition disability</b>			
<b>Has a hearing disability</b>			
<b>Has a vision disability</b>			
<b>Has a self-care disability</b>			
<b>Has an independent living</b>			

<b>Sexual Orientation</b>	<b>Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria</b>	<b>Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria</b>	<b>Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)</b>
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

  

<b>Gender Identity</b>	<b>Number of newborn cases that were exclusively breastfed and meet inclusion/exclusion criteria</b>	<b>Total number of newborn cases born in the hospital that meet inclusion/exclusion criteria</b>	<b>Rate of newborn cases per 100 that were exclusively breastfed and met inclusion/exclusion criteria (%)</b>
Female			
Female-to-male (FTM)/transgender male/trans man			
Male			
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or			
Not disclosed			

## HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate

General acute care hospitals are required to report several HCAI All-Cause Unplanned 30-Day Hospital Readmission Rates, which are broadly defined as the percentage of hospital-level, unplanned, all-cause readmissions after admission for eligible conditions within 30 days of hospital discharge for patients aged 18 years and older. These rates are first stratified based on any eligible condition, mental health disorders, substance use disorders, co-occurring disorders, and no behavioral health diagnosis. Then, each condition-stratified hospital readmission rate is further stratified by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. For more information on the HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate, please visit the following link by copying and pasting the URL into your web browser:

[https://hcai.ca.gov/wp-content/uploads/2024/10/HCAI-All-Cause-Readmission-Rate-Exclusions\\_ADA.pdf](https://hcai.ca.gov/wp-content/uploads/2024/10/HCAI-All-Cause-Readmission-Rate-Exclusions_ADA.pdf)

## HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate – Any Eligible Condition

Number of inpatient hospital admissions which occurs within 30 days of the discharge date of an eligible index admission and were 18 years or older at time of admission

66

Total number of patients who were admitted to the general acute care hospital and were 18 years or older at time of admission

445

Rate of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older

14.8

Table 10. HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate for any eligible condition by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

<b>Race and/or Ethnicity</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
<b>American Indian or Alaska Native</b>	suppressed	suppressed	suppressed
<b>Asian</b>			
<b>Black or African American</b>	suppressed	suppressed	suppressed
<b>Hispanic or Latino</b>	suppressed	suppressed	suppressed
<b>Middle Eastern or North African</b>			
<b>Multiracial and/or Multiethnic (two or more races)</b>			
<b>Native Hawaiian or Pacific Islander</b>	suppressed	suppressed	suppressed
<b>White</b>	60	391	15.3

  

<b>Age</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
<b>Age 18 to 34</b>	suppressed	suppressed	suppressed
<b>Age 35 to 49</b>	suppressed	suppressed	suppressed
<b>Age 50 to 64</b>	14	82	17.1
<b>Age 65 Years and Older</b>	46	301	15.3

  

<b>Sex assigned at birth</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
<b>Female</b>	20	185	10.8
<b>Male</b>	46	260	17.7
<b>Unknown</b>			

  

<b>Payer Type</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
<b>Medicare</b>	42	282	14.9
<b>Medicaid</b>	suppressed	suppressed	suppressed
<b>Private</b>	13	111	11.7
<b>Self-Pay</b>	suppressed	suppressed	suppressed
<b>Other</b>	suppressed	suppressed	suppressed

  

<b>Preferred Language</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
<b>English Language</b>	suppressed	suppressed	suppressed
<b>Spanish Language</b>	suppressed	suppressed	suppressed
<b>Asian Pacific Islander Languages</b>			
<b>Middle Eastern Languages</b>			
<b>American Sign Language</b>			
<b>Other/Unknown Languages</b>			

<b>Disability Status</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living disability			

  

<b>Sexual Orientation</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

  

<b>Gender Identity</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Female			
Female-to-male (FTM)/transgender male/trans man			
Male			
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or other			
Not disclosed			

## HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate - Mental Health Disorders

Number of inpatient hospital admissions which occurs within 30 days of the discharge date for mental health disorders and were 18 years or older at time of admission

suppressed

Total number of patients who were admitted to the general acute care hospital and were 18 years or older at time of admission

suppressed

Rate of hospital-level, unplanned, all-cause readmissions after admission for mental health disorders within 30 days of hospital discharge for patients aged 18 and older

suppressed

Table 11. HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate for mental health disorders by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

<b>Race and/or Ethnicity</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
American Indian or Alaska Native	suppressed	suppressed	suppressed
Asian			
Black or African American			
Hispanic or Latino	suppressed	suppressed	suppressed
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)			
Native Hawaiian or Pacific Islander			
White	suppressed	suppressed	suppressed

  

<b>Age</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Age 18 to 34	suppressed	suppressed	suppressed
Age 35 to 49	suppressed	suppressed	suppressed
Age 50 to 64	suppressed	suppressed	suppressed
Age 65 Years and Older	suppressed	suppressed	suppressed

  

<b>Sex assigned at birth</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Female	suppressed	suppressed	suppressed
Male	suppressed	suppressed	suppressed
Unknown			

  

<b>Payer Type</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Medicare	suppressed	suppressed	suppressed
Medicaid			
Private	suppressed	suppressed	suppressed
Self-Pay			
Other	suppressed	suppressed	suppressed

  

<b>Preferred Language</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
English Language	suppressed	suppressed	suppressed
Spanish Language	suppressed	suppressed	suppressed
Asian Pacific Islander Languages			
Middle Eastern Languages			
American Sign Language			
Other/Unknown Languages			



<b>Disability Status</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living disability			

  

<b>Sexual Orientation</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

  

<b>Gender Identity</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Female			
Female-to-male (FTM)/transgender male/trans man			
Male			
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or other			
Not disclosed			

## HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate - Substance Use Disorders

Number of inpatient hospital admissions which occurs within 30 days of the discharge date for substance use disorders and were 18 years or older at time of admission

14

Total number of patients who were admitted to the general acute care hospital and were 18 years or older at time of admission

101

Rate of hospital-level, unplanned, all-cause readmissions after admission for substance use disorders within 30 days of hospital discharge for patients aged 18 and older

13.9

Table 12. HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate for substance use disorders by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

<b>Race and/or Ethnicity</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
American Indian or Alaska Native			
Asian			
Black or African American	suppressed	suppressed	suppressed
Hispanic or Latino	suppressed	suppressed	suppressed
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)			
Native Hawaiian or Pacific Islander			
White	suppressed	suppressed	suppressed

  

<b>Age</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Age 18 to 34	suppressed	suppressed	suppressed
Age 35 to 49	suppressed	suppressed	suppressed
Age 50 to 64	suppressed	suppressed	suppressed
Age 65 Years and Older	suppressed	suppressed	suppressed

  

<b>Sex assigned at birth</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Female	suppressed	suppressed	suppressed
Male	suppressed	suppressed	suppressed
Unknown			

  

<b>Payer Type</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Medicare	suppressed	suppressed	suppressed
Medicaid	suppressed	suppressed	suppressed
Private	suppressed	suppressed	suppressed
Self-Pay	suppressed	suppressed	suppressed
Other	suppressed	suppressed	suppressed

  

<b>Preferred Language</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
English Language	suppressed	suppressed	suppressed
Spanish Language	suppressed	suppressed	suppressed
Asian Pacific Islander Languages			
Middle Eastern Languages			
American Sign Language			
Other/Unknown Languages			

<b>Disability Status</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living disability			

  

<b>Sexual Orientation</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

  

<b>Gender Identity</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Female			
Female-to-male (FTM)/transgender male/trans man			
Male			
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or other			
Not disclosed			

## HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate - Co-occurring disorders

Number of inpatient hospital admissions which occurs within 30 days of the discharge date for co-occurring disorders and were 18 years or older at time of admission

suppressed

Total number of patients who were admitted to the general acute care hospital and were 18 years or older at time of admission

suppressed

Rate of hospital-level, unplanned, all-cause readmissions after admission for co-occurring disorders within 30 days of hospital discharge for patients aged 18 and older

suppressed

Table 13. HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate for co-occurring disorders by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

<b>Race and/or Ethnicity</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
American Indian or Alaska Native			
Asian			
Black or African American	suppressed	suppressed	suppressed
Hispanic or Latino	suppressed	suppressed	suppressed
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)			
Native Hawaiian or Pacific Islander			
White	suppressed	suppressed	suppressed

  

<b>Age</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Age 18 to 34	suppressed	suppressed	suppressed
Age 35 to 49	suppressed	suppressed	suppressed
Age 50 to 64	suppressed	suppressed	suppressed
Age 65 Years and Older	suppressed	suppressed	suppressed

  

<b>Sex assigned at birth</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Female	suppressed	suppressed	suppressed
Male	suppressed	suppressed	suppressed
Unknown			

  

<b>Payer Type</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Medicare	suppressed	suppressed	suppressed
Medicaid	suppressed	suppressed	suppressed
Private	suppressed	suppressed	suppressed
Self-Pay			
Other			

  

<b>Preferred Language</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
English Language	suppressed	suppressed	suppressed
Spanish Language			
Asian Pacific Islander Languages			
Middle Eastern Languages			
American Sign Language			
Other/Unknown Languages			

<b>Disability Status</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living disability			

  

<b>Sexual Orientation</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

  

<b>Gender Identity</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Female			
Female-to-male (FTM)/transgender male/trans man			
Male			
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or other			
Not disclosed			

## HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate - No Behavioral Health Diagnosis

Number of inpatient hospital admissions which occurs within 30 days of the discharge date with no behavioral diagnosis and were 18 years or older at time of admission

35

Total number of patients who were admitted to the general acute care hospital and were 18 years or older at time of admission

247

Rate of hospital-level, unplanned, all-cause readmissions after admission with no behavioral diagnosis within 30 days of hospital discharge for patients aged 18 and older

14.2

Table 14. HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate with No Behavioral Diagnosis by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

<b>Race and/or Ethnicity</b>	<b>Number of inpatient admissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
American Indian or Alaska Native	suppressed	suppressed	suppressed
Asian			
Black or African American			
Hispanic or Latino	suppressed	suppressed	suppressed
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)			
Native Hawaiian or Pacific Islander	suppressed	suppressed	suppressed
White	suppressed	suppressed	suppressed

  

<b>Age</b>	<b>Number of inpatient admissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Age 18 to 34	suppressed	suppressed	suppressed
Age 35 to 49	suppressed	suppressed	suppressed
Age 50 to 64	suppressed	suppressed	suppressed
Age 65 Years and Older	suppressed	suppressed	suppressed

  

<b>Sex assigned at birth</b>	<b>Number of inpatient admissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Female	suppressed	suppressed	suppressed
Male	suppressed	suppressed	suppressed
Unknown			

  

<b>Payer Type</b>	<b>Number of inpatient admissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Medicare	suppressed	suppressed	suppressed
Medicaid	suppressed	suppressed	suppressed
Private	suppressed	suppressed	suppressed
Self-Pay	suppressed	suppressed	suppressed
Other	suppressed	suppressed	suppressed

  

<b>Preferred Language</b>	<b>Number of inpatient admissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
English Language	suppressed	suppressed	suppressed
Spanish Language	suppressed	suppressed	suppressed
Asian Pacific Islander Languages			
Middle Eastern Languages			
American Sign Language			
Other/Unknown Languages			

<b>Disability Status</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living disability			

  

<b>Sexual Orientation</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

  

<b>Gender Identity</b>	<b>Number of inpatient readmissions</b>	<b>Total number of admitted patients</b>	<b>Readmission rate (%)</b>
Female			
Female-to-male (FTM)/transgender male/trans man			
Male			
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or other			
Not disclosed			

## Health Equity Plan

All general acute care hospitals report a health equity plan that identifies the top 10 disparities and a written plan to address them.

## Top 10 Disparities

Disparities for each hospital equity measure are identified by comparing the rate ratios by stratification groups. Rate ratios are calculated differently for measures with preferred low rates and those with preferred high rates. Rate ratios are calculated after applying the California Health and Human Services Agency's "Data De-Identification Guidelines (DDG)," dated September 23, 2016.

Table 15. Top 10 disparities and their rate ratio values.

Measures	Stratifications	Stratification Group	Stratification Rate	Reference Group	Reference Rate	Rate Ratio
HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate	Sex Assigned at Birth			Female	10.8	1.6
HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate	Expected Payor			Private	11.7	1.3
HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate	Age (excluding maternal measures)			65 and older	15.3	1.1

## Plan to address disparities identified in the data

California Assembly Bill (AB) 1204 governs the framework for supporting health equity initiatives. This Bill requires California hospitals to address their 10 top disparities as identified by the Hospital Quality Institute (HQI) through Health Care Access and Information (HCAI). The stratified HQI data identifying the top disparities is from Calendar Year 2024.

## Adventist Health

Adventist Health has a long-term commitment to equitable healthcare and serving the community through Our Mission and Our Vision: Living God's love by inspiring health, wholeness, and hope; We will transform the health experience of our communities by improving physical, mental, and spiritual health; enhancing interactions; and making care more accessible and affordable.

As detailed in the Adventist Health Community Reports, community impact is at the heart of Adventist Health's vision to transform the health experience of our communities. And Adventist Health recognizes that each community has a unique set of needs. Therefore, a Community Health Needs Assessment (CHNA) is conducted to better understand the communities we serve. AHMC utilized the 2022 Mendocino CHNA to build the framework for health equity initiatives. The service area represents Adventist Health Howard Memorial, Mendocino Coast, and Ukiah Valley's primary service areas (PSA).

## Adventist Health Mendocino Coast (AHMC)

Located on the Pacific Coast of California along Shoreline Highway in Mendocino County, Adventist Health Mendocino Coast is a 25-bed Critical Access Hospital serving California's Mendocino coast. The hospital offers vital services, including 24-hour emergency care, medical imaging, intensive care, and surgery. The hospital is dedicated to creating greater accessibility to healthcare in rural communities and to ensure their community has access to quality care.

The CHNA service area is a breathtaking community with a total population of 116,095. The largest city in the service area is Ukiah, with a population of 16,075. The median household income is \$56,401. The largest segment of the population (37.2%) is over the age of 55. Among this population, 59.95% of an individual's income is spent on housing and transportation, while 20.66% of children live in poverty and 6.67% of students are unhoused compared to the state average of 4.25% and national average of 2.77%.

The CHNA identified three top community needs are 1. Access to Care, 2. Financial Stability, and 3.



Health Risk Behaviors. Community members noted that transportation problems impact their access to medical appointments such as primary and specialty care. The health professional shortage area rate is extremely high (71.1%) contributing to long wait times to see a primary care provider, noted to be especially challenging to coastal residents. In addition, financial concerns impact physical and mental health with those facing unattainable housing, unemployment, or low annual incomes. Health risk behaviors facing the community include 15.9% reported tobacco smoking rate, 21.4 per 1,000 teen birth rate, 6.7% rate of substance use disorder, and community members noting poor dietary habits driven by limited incomes.

## Overall Strategy

AHMC has formed a multidisciplinary team aimed to coordinate efforts to address both the health equity needs identified in the Mendocino 2022 CHNA report and patient reported social determinants identified by hospital screening. This team includes case management, social work, nursing, medical staff, quality, and administration.

The Hospital Quality Institute (HQI) report identified 3 disparities when evaluating AHMC. These are all under the measure of the All-Cause unplanned 30-Day Hospital Readmission Rate, and include the stratification of sex assigned at birth, expected payor and age.

### Disparity 1:

All-Cause Readmission Rate was higher in male patients (17.3) vs. female patients (10.3).

### Disparity 2:

All-Cause Readmission Rate was higher for Medicare patients (14.9) compared to those with private insurance (10.8)

### Disparity 3:

All-Cause Readmission Rate was higher for the age group of 50 to 65 (17.1) compared to patients age 65 and older (15.1).

### Equity Plan:

An action plan is in place to reduce the All-Cause Readmissions rate in the stratified groups including male sex at birth, age 50-64, and expected payor of Medicare by 2% by the end of calendar year 2026.

Additional actions to address disparities stratified by identified populations of age, gender, and payer

- 7V'7F æ6R W6R æ vigator Program

- 6 Å -Ò 6öx 72 &öpram

- -x ÆVÖVçB vR `riendly Measures

- ÷ F-Ö— e community partners for housing and food resources

- rÖF y hospital follow up appointments with primary care provider

- 6 6R Ö æ vVÖVçB WF-Æ—! F-öâ &Pview

## Performance in the priority area

General acute care hospitals are required to provide hospital equity plans that address the top 10 disparities by identifying population impact and providing measurable objectives and specific timeframes. For each disparity, hospital equity plans will address performance across priority areas: person-centered care, patient safety, addressing patient social drivers of health, effective treatment, care coordination, and access to care.

### Person-centered care

Adventist Health Mendocino Coast has a strong focus on person-centered care and aims to keep the patient at the core of every interaction. Our teams utilize language assistance services or certified translators for encounters with patients with a language preference other than English to ensure optimal communication with patients and families. Our nurse leaders' round with patients and families daily to assess patient needs and preferences and facilitate follow up on any questions or issues identified. Nurses utilize a bedside handoff process at each shift change which includes the patient to promote active participation in care with patients and family. Chaplaincy services are offered to support emotional and spiritual needs by regular rounding on the units. A patient family advisory council was established to engage with the community to gather feedback on all aspects of care within the facility and medical offices. Our teams regularly review feedback obtained from patient experience surveys for both inpatient and outpatient encounters.

### Patient safety

Patient safety is a central component of the care delivered at Adventist Health Mendocino Coast. There is a daily focus on reliability and maintaining safety structures following the High Reliability Organization (HRO) Principles. Our teams utilize an evidence-based process for incident reporting and utilize a Just Culture framework when evaluating the cause analysis. We encourage good catch reporting to identify potential safety concerns and correct issues before they reach the patient. Learning is spread by sharing lessons learned throughout the facility. This safety culture has produced results evidenced by zero healthcare associated infections during the last 2 years in the areas of catheter associated infection, central line associated infection, hospital acquired c. difficile infection, or hospital associated MRSA infection. Ⓓ

Ⓓ

The clinical teams utilize a bedside safety report structure for patient handoff which includes standard safety components for fall prevention, infection prevention, and pressure injury risk reduction. We have implemented several electronic systems that enhance safety in all areas of the hospital. These include upgraded medication dispensing machines, IV pumps that integrate to the electronic medical record, bedside bar code scanning for medications and blood specimen collection, and clinical decision support built into the electronic health record (EHR).

### Addressing patient social drivers of health

Adventist Health Mendocino Coast implemented a screening process to screen admitted patients for social drivers of health and uses this data to further identify top needs of the patient population. In 2024, the top three needs identified were housing instability (11.7%), food insecurity (9.7%), and transportation needs (7.2%). A multidisciplinary performance improvement project was established aimed at improving access to care after hospitalization by assisting with transportation needs, with the goal of reducing no-show appointments by 10% at primary care follow up appointments. When social needs are identified through screening, a care management referral is generated. The team uses a multimodal approach to address individualized needs which includes the substance use navigator and compass care management team. This has resulted in a year-over-year reduction in no-show appointments for the last 2 years.

## Performance in the priority area continued

Performance across all of the following priority areas.

### Effective treatment

Adventist Health Mendocino Coast utilizes outcomes data to evaluate effective care delivery. This includes measures for stroke care to evaluate timely results with imaging studies, colonoscopy follow up recommendations, and code blue review. We also utilize an evidence-based process for Rapid Response Teams in the hospital setting to quickly respond to any changes in patient condition. In the Emergency Department, we review throughput times to improve patient flow and reduce wait times for emergency care.

### Care coordination

Adventist Health Mendocino Coast demonstrates care coordination through a comprehensive and multidisciplinary model to support patients throughout the continuum of care. The case management team drives the discharge planning beginning with multidisciplinary daily rounds and continuing past discharge with post discharge follow up. The electronic medical record (EMR) supports the team with advanced alerts to identify patients with high risk of readmission. These higher risk patients receive additional evaluation, and individualized resources catered to their identified needs. This can include substance use navigation for risk reduction and medication assisted treatment (MAT) referral, compass team to connect to community resources, housing resources, or transportation resources.

### Access to care

Adventist Health Mendocino Coast is committed to improving access to care in this rural community. A multifocal plan for developing clinician pipelines includes supporting continuing education of staff through tuition and loan repayment programs, partnership with Pacific Union College with student nurse clinical rotations, and college prep courses at the local Highschool. Ongoing efforts for provider recruitment are a top priority as well as expanding access through telehealth options. The medical offices offer both in-person and virtual visits for primary and specialty care. The emergency department and inpatient hospital have expanded access to specialty services by implementing telehealth programs for neurology, behavioral health, and critical care support. ð

The facility additionally assists with access to care by addressing financial barriers by providing financial assistance programs, flexible payment options, and assistance with enrollment in Medi-Cal and referrals for financial counseling programs.

## Methodology Guidelines

Did the hospital follow the methodology in the Measures Submission Guide? (Y/N)

Y